

References Cited

- Adams, T., Johnson, R., and Hibbs, D. 1996. Geographic patterns of genetic variation in red alder and their implications for seed transfer. Oregon Department of Forestry Red alder project.
- Adams, T. and Campbell, R.K. 1982. Genetic adaptation and seed source specificity. In: Reforestation of Skeletal Soils. Proceedings. Workshop, Forest Research Laboratory, Oregon State University, Corvallis, Oregon. Nov. 17-19, 1981. S.D. Hobbs and O.T. Helgerson, editors.
- Adams, W.T., Campbell, R.K. and Kitzmiller, J.H. 1992. Genetic considerations in reforestation. In: Reforestation Practices in Southwestern Oregon and Northern California. Forest Research Laboratory, Oregon State University, Corvallis, Oregon. pp 284-308.
- Ager, A.A. 1988. Genetic variation in red alder. Handout prepared for the Oregon State University. Hardwood Silviculture Cooperative. Sept. 7, 1988. pp 72-81. Extract from author's Ph.D. dissertation. University of Washington. Seattle, Washington.
- Ager, A. A., Heilman, P.E., and Stettler, R.F.. 1993. Genetic variation in red alder (*Alnus rubra*) in relation to native climate and geography. Canadian Journal of Forest Research. 23(9): 1930-1939.
- Ager, A.A. and Stettler, R.F. 1994. Genetics of red alder and its implications for future management. pp 92-105. In Biology and Management of Red Alder, D.E. Hibbs *et al.* (Editors). Oregon State University Press, Corvallis, Oregon. 256 pp.
- Aitken, S.N., Adams, W.T., Schermann, N., and Fuchigami, L.H. 1996. Family variation for fall cold hardiness in two Washington populations of coastal Douglas-fir (*Pseudotsuga menziesii* var. *menziesii* (Mirb.) Franco.) Forest Ecology & Management. 80:187-195.
- Alexander, R.R. and Shepperd, W.D. 1990. *Picea engelmannii* Parry ex Engelm. Engelmann spruce. In: R.M. Burns and B.H. Honkala, technical coordinators, Silvics of North America, Vol. 1, Conifers. Agric. Handbook 654. USDA. U.S. Forest Service, Washington, DC, pp 187-203.
- Bingham, R.T., Hoff, R.J., and Steinhoff, R.J. 1972. Genetics of western white pine. USDA U.S. Forest Service, Research Paper WO-12, 18 pp.
- Birot, Y. 1976. Juvenile and provisional results of international ten provenance experiment in France. In: IUFRO (*International Union of Forestry Research Organizations*) Sitka spruce (*Picea sitchensis* (Bong.) Carr.) International ten provenance experiment. Nursery stage results. pp 60-66. June 1976. Department of Lands, Forest and Wildlife Service. Dublin, Ireland. 314 pp.
- Birot, Y. and Christophe, C. 1983. Genetic structures and expected genetic gains from multitrait selection in wild populations of Douglas-fir and Sitka spruce. *Silvae Genetica* 32 (5): 141-151.
- Bolsinger, C.L. and Jaramillo, A.E. 1990. *Taxus brevifolia* Nutt.: Pacific Yew. In: R.M. Burns and B.H. Honkala, technical coordinators, Silvics of North

America, Vol. 1, Conifers. Agric. Handbook 654. USDA. U.S. Forest Service, Washington DC, pp. 573-579.

- Bower, R.C. and Dunswoth, B.G. 1988. Provenance test of western red cedar on Vancouver Island. In: N.J. Smith, editor, Western Red Cedar – Does It Have a Future? Conference Proceedings. Vancouver, British Columbia, University of British Columbia, 1987. pp. 131-135.
- Breidenstein, J., Bastein, J.C., and Roman-Amat, B. 1990. Douglas-fir range wide variation results from the IUFRO data base. Item 2.13. Presented at IUFRO. S2.02.05WP meeting in Olympia, Washington. August 1990. 14 pp.
- British Columbia Ministry of Forests. 1995. Forest practices code of British Columbia, seed and vegetative material guidebook. British Columbia Ministry of Forests and British Columbia Ministry of Environment.
- Campbell, R.K. 1974. Use of phenology for examining provenance transfers in reforestation of Douglas-fir. *Journal of Applied Ecology*. 11:1069-1080.
- Campbell, R.K. 1975. Adaptation requirements of planting stock. *Global Forestry and the Western Role*. Permanent Assoc. Comm. Proceedings, Western Forestry and Conservation Association, Portland, Oregon, USDA. U.S. Forest Service. pp 103-107.
- Campbell, R.K. 1979. Genecology of Douglas-fir in a watershed in the Oregon Cascades. *Ecology* 60:1036-1050.
- Campbell, R.K. 1986. Mapped genetic variation of Douglas-fir to guide seed transfer in southwest Oregon. *Silvae Genetica* 35:85-95.
- Campbell, R.K. 1987. Biogeographical distribution limits of Douglas-fir in southwest Oregon. *Forest Ecology & Management*. 18:1-34.
- Campbell, R.K. 1991. Soils, seed-zone maps, and physiography: Guidelines for seed transfer of Douglas-fir in southwestern Oregon. *Forest Science*: 37:973-986.
- Campbell, R.K. 1992. Genotype * environment interaction: A case study for Douglas-fir in western Oregon. USDA. U.S. Forest Service Research Paper. PNW-RP-455. 22 pp.
- Campbell, R. K., Pawuk, W.H. and Harris, A.S. 1989. Microgeographic genetic variation of Sitka spruce in southeastern Alaska. *Canadian Journal of Forest Research*. 19:1004-1013.
- Campbell, R.K. and Sorensen, F.C. 1978. Effects of test environment on expression of clines and delimitation of seed zones in Douglas-fir. *Theoretical and Applied Genetics*. 51: 233-246.
- Campbell, R.K. and Ritland, S.M. 1982. Regulation of seed-germination timing by moist chilling in western hemlock. *New Phytol*. 92:173-182.
- Campbell, R.K. and Sorensen, F.C. 1973. Cold-acclimation in seedling Douglas-fir related to phenology and provenance. *Ecology* 54:1148-1151.
- Campbell, R. K. and Sorensen, F.C.. 1978. Effect of test environment on expression of clines and on delimitation of seed zones in Douglas-fir. *Theoretical and Applied Genetics*. 51:233-246.
- Campbell, R.K. and Sugano, A.I. 1989. Seed zones and breeding zones for white pine in the Cascade Range of Washington and Oregon. USDA U.S. Forest Service Research Paper. PNW-RP-407. 20 pp.

- Campbell, R.K. and Sugano, A.I. 1993. Genetic variation and seed zones of Douglas-fir in the Siskiyou National Forest. USDA U.S. Forest Service Research Paper. PNW-RP-461. 23 pp.
- Cannell, M. G. R., Murray, M.B., and Sheppard, L.J.. 1987. Frost hardiness of red alder (*Alnus rubra*) provenances in Britain. *Forestry* 60:57-67.
- Cherry, M.T. and Lester, D.T.. 1992. Genetic variation in *Chamaecyparis nootkatensis* for coastal British Columbia. *Western Journal of Applied Forestry*. 7:(1), 25-29.
- Conkle, M.T. and Critchfield, W.B. 1988. Genetic variation and hybridization of ponderosa pine. In: *Ponderosa Pine: The Species And Its Management*. Washington State University Cooperative Extension. pp. 27-43.
- Copes, D.L. 1981. Isoenzyme uniformity in western red cedar seedlings from Oregon and Washington. *Canadian Journal of Forest Research*. 11:451-453.
- Copes, D.L. and Beckwith, R.C. 1977. Isoenzyme identification of *Picea glauca*, *P. sitchensis*, and *P. lutzii* populations. *Botanical Gazette*. 138 (4):512-521
- Critchfield, W.B. 1984. Crossability and relationships of Washoe pine. *Madrono* 31:144-170.
- Critchfield, W.B. and Little, E.L., Jr. 1966. Geographic distribution of the pines of the world. USDA U.S. Forest Service, Misc. Publication 991.
- Daubenmire, R. 1974. Taxonomic and ecologic relationships between *Picea glauca* and *Picea engelmannii* in the Rocky Mountains. *Canadian Journal of Botany*. 52: 1545-1560.
- DeBell, D. S. and Wilson, B.C., 1978. Natural variation in red alder. In: *Utilization and management of alder*. USDA U.S. Forest Service Gen. Tech. Report. PNW-70:193-208.
- Doede, D.L., Carroll, E., Westfall, R., Miller, R., Kitzmiller, J.H. and Snader, K.M. 1993. Geographic variation in allozymes and taxol, and propagation by rooted cuttings in Pacific yew. In: *Proceedings of the International Yew Resources Conference: Yew conservation biology and interactions*, 12-13 Mar. Berkeley, California, Native Yew Conservation Council, Berkeley, California. p. 10.
- Dunlap, J.M., Braatne, J.H., Hinkley, T.M. and Stettler, R.F. 1993. Intraspecific variation in photosynthetic traits of *Populus trichocarpa*. *Canadian Journal of Botany*. 71:1304-1311.
- Dunlap, J.M., Heilman, P.E., and Stettler, R.F. 1994. Genetic variation and productivity of *Populus trichocarpa* and its hybrids. VII. Two-year survival and growth of native black cottonwood clones from four river valleys in Washington. *Canadian Journal of Forest Research*. 24:1539-1549.
- Dunlap, J.M., Heilman, P.E., and Stettler, R.F. 1995. Genetic variation and productivity of *Populus trichocarpa* and its hybrids. VIII. Leaf and crown morphology of native *P. trichocarpa* clones from four river valleys in Washington. *Canadian Journal of Forest Research*. 25:1710-1724.
- El Kassaby, Y.A. and Yanchuk, A.D. 1994. Genetic diversity, differentiation, and inbreeding in Pacific yew from British Columbia. *Journal of Heredity* 85: 112-117.
- Falkenhagen, E.R. 1977. Genetic variation in 38 provenances of Sitka spruce. *Silvae Genetica*. 26: 67-75.

-
- Farr, W. and Harris, S.A.. 1979. Site index of Sitka spruce along the Pacific coast related to latitude and temperatures. Forest Science. Vol. 25, No. 1. pp 145-153.
- Fins, L. and Seeb, L. 1986. Genetic variation in allozymes of western larch. Canadian Journal of Forest Research. 16:1013-1018.
- Foiles, M.W., Graham, R.T., Olson, D.F., Jr. 1990. *Abies grandis* (Dougl. ex D. Don) Lindl.: Grand fir. In: R.M. Burns and B.H. Honkala, technical coordinators, Silvics of North America, Vol. 1, Conifers. Agric. Handbook 654. USDA U.S. Forest Service, Washington DC, pp. 52-59.
- Foster, G.S. and D.T. Lester. 1983. Fifth-year height variation in western hemlock open-pollinated families growing on four test sites. Canadian Journal of Forest Research. 13:251-256.
- Fowells, H.A. 1965. Silvics of Forest Trees of the United States. USDA U.S. Forest Service, Agric. Handbook No. 271. 762 pp.
- Franklin, J.F. and Dyrness, C.T. 1973. Natural Vegetation of Oregon and Washington. Pacific Northwest Forest and Range Exp. Station. Forest Service. USDA U.S. Forest Service Gen. Tech. Report PNW-8, 417 pp.
- Franklin, J. F., Sorensen, F.C. and Campbell, R.K. 1978. Summarization of the ecology and genetics of the noble and California red fir complex. In Proc. IUFRO Jt. Meet. Work. Parties, Vol. I, pp. 133-139. British Columbia Ministry of Forests, Information Services Branch, Victoria, British Columbia, by the USDA Forest Service.
- Hamrick, J.L. Godt, M.J.W., and Sherman-Broyles, S.L. 1992. Factors influencing levels of genetic diversity in woody plant species. In: Population Genetics of Forest Trees. Proceedings of the International Symposium on Population Genetics of Forest Trees. Corvallis, Oregon, July 31-Aug. 2, 1990. W.T. Adams, S.H. Strauss, D.L. Copes, A.R. Griffen, editors. Kluwer Academic Publishers. pp. 95-124.
- Harrington, C.A., Zasada, J.C. and Allen, E.A. 1994. Biology of red alder (*Alnus rubra* Bong.) p. 3-22. In Biology and Management of Red Alder, D.E. Hibbs, *et al.* (eds.), Oregon State University Press, Corvallis, Oregon. 256 pp.
- Harris, A. S. 1978. Distribution, genetics, and silvical characteristics of Sitka spruce. pp 95-122. In Proceedings of the IUFRO Joint Meeting. Work. Parties, Vancouver, Canada, Vol. 1. British Columbia Ministry of Forests, Information Services Branch, Victoria, British Columbia.
- Heilman, P.E., Stettler, R.F., Hanley, D.P., and Carkner, R.W. 1990. High yield hybrid poplar plantations in the Pacific Northwest. Pacific NW, Publ. PNW 356. 33 pp.
- Hermann, R.K. and Lavender, D.P. 1990. *Pseudotsuga menziesii* (Mirb.) Franco: Douglas-fir. In: R.M. Burns and B.H. Honkala, technical coordinators, Silvics of North America, Vol. 1, Conifers. Agric. Handbook 654. USDA U.S. Forest Service, Washington DC. pp. 527-540.
- Hibbs, D. E., Bouvarel, L., and du Cros, E.T. 1994. Performance of red alder seed sources in France. Canadian Journal of Forest Research. 24:1008-1014.
- Jeffers, J.N.R. and Black, T.M. 1963. An analysis of variability in *Pinus contorta*. Forestry 36:199-218.

-
- Jeffers, J.N.R. 1962. Principal component analysis of designed experiment. *The Statistician* 12:230-242.
- Kleinschmit, J. and Sauer, A. 1976. IUFRO Sitka spruce provenance experiment in Germany- results of nursery performance. In IUFRO Sitka spruce (*Picea sitchensis* (Bong.) Carr.) International ten provenance experiment. Nursery stage results. pp 68-89. June 1976. Department of Lands, Forest and Wildlife Service. Dublin, Ireland. 314 pp.
- Kleinschmit, J., Svolba, J., Weisgerber, H., Dimpflemeier, R., Ruetz, W., and Widmaier, T. 1985. Results of the IUFRO Douglas-fir provenance experiment in the Federal Republic of Germany at age 14. Proceedings of the IUFRO Working Party S2.02.05, Vienna, Austria, June 10-14. pp. 68-84.
- Kleinschmit, J., Svolba, J., Rau, H.M. and Weisgerber, H. 1996. The IUFRO *Abies grandis* provenance experiment in Germany - Results at age 18/19. *Silvae Genetica* 45:311-317.
- Konig, A. 1995 Geographic variation of *Abies grandis* - provenances grown in northwestern Germany. *Silvae Genetica* 44:248-255.
- Kranenborg, K. G. 1988. Abies procera provenances in the Netherlands, early results. Rijksinstituut Voor Onderzoek in De. Bos-en Landschaps Bouw "De Dorschkamp" Rapport NR. 517. 19 pp.
- Kriek, W. 1976. IUFRO Sitka spruce (*Picea sitchensis* (Bong.) Carr.) International ten provenance experiment. Nursery stage results. pp 173-203. June 1976. Department of Lands, Forest and Wildlife Service. Dublin, Ireland. 314 pp.
- Kuchler, A.W. 1946. The broadleaf deciduous forests of the Pacific Northwest. Annual of the Association of American Geography. 36:122-147.
- Kuser, J.E. and Ching, K.K. 1980. Provenance variation in phenology and cold hardiness of western hemlock seedlings. *Forest Science*. 26:463-470.
- La Roi, G.H. and Dugle, J.R. 1968. A systematic and genecological study of *Picea glauca* and *P. engelmannii* using paper chromatograms of needle extracts. *Canadian Journal of Botany*. 46:649-687.
- Larson, J.B. 1978. Die Klimaresistenz der *Abies grandis* (Dougl.) Lindl. 1. Frostresistenz von 23 Herkunften aus dem I.U.F.R.O. Provenienzversuch von 1974. *Silvae Genetica* 27:156-161.
- Larsen, J.B. and Ruetz, W.F. 1980. Frostresistenz verschiedener Herkunfte der Douglasie (*Pseudotsuga menziesii*) und der Kustentanne (*Abies grandis*) entlang des 44. Breitengrades in mittel Oregon. *Forstwissenschaftliches Centralblatt (German Journal of Forest Service)*. 99:222
- Lester, D.T. and DeBell, D.S. 1989. Geographic variation in red alder. USDA U.S. Forest Service Research Paper. PNW-409.
- Lester, D.T., Ying, C.C., and Konishi, J.D. 1990. Genetic control and improvement of planting stock. In Regenerating British Columbia Forests. pp 180-192. University of British Columbia Press, Vancouver.
- Li, P. and Adams, W.T. 1989. Range-wide patterns of allozyme variation in Douglas-fir (*Pseudotsuga menziesii*). *Canadian Journal of Forest Research*. 19:149-161.
- Little, E.L., Jr. 1971. Atlas of United States trees. Vol. 1 Misc. Pub. 1146, USDA U.S. Forest Service. Washington, DC.

-
- Lotan, J.E. and Critchfield, W.B. 1990. *Pinus contorta* Dougl. ex. Loud. Lodgepole pine. In: R.M. Burns and B.H. Honkala, technical coordinators, Silvics of North America, Vol. 1, Conifers. Agric. Handbook 654. USDA U.S. Forest Service, Washington DC, pp. 302-315.
- Magnesen, S. 1976. The international Sitka spruce ten provenance experiment in West Germany. IUFRO Sitka spruce (*Picea sitchensis* (Bong.) Carr.) International ten provenance experiment. Nursery stage results. pp 216-238. June 1976. Department of Lands, Forest and Wildlife Service. Dublin, Ireland. 314 pp.
- Magnesen, A.S. 1995. Provenance trials with noble fir (*Abies procera*) in southwest Norway. Forest Research Institute. Department of Forest Sciences. Agricultural University of Norway. Research paper. Skogforsk 13/95. 19 pp.
- Magnesen, S. 1996. The international grand fir (*Abies grandis*) provenance trial in southern Norway (Abstract). Research Paper of Skogforsk 8/96:1-15.
- McCamant, T. and Black, R.A. 1995. Cold hardiness in *Populus trichocarpa x P. maximowiczii* hybrids. In Inter. Poplar Sym. University of Washington. Seattle, Washington August 20-25, 1995.
- Meagher, M.D. and Hunt, R.S. 1998. Early height growth of western white pine provenances in British Columbia plantations. Western Journal of Applied Forestry. 13(2): 47-53.
- Minore, D. 1990. *Thuja plicata* Don ex D. Don: Western redcedar. In: R.M. Burns and B.H. Honkala, technical coordinators, Silvics of North America, Vol. 1, Conifers. Agric. Handbook 654. USDA U.S. Forest Service, Washington DC, pp. 590-600.
- Mitton, J.B. and Andalora, R. 1981. Genetic and morphological relationships between blue spruce, *Picea pungens*, and Engelmann spruce, *Picea engelmannii*, in the Colorado Front Range. Canadian Journal of Botany. 59:2088-2094.
- Munger, T.T. 1947. Growth of ten regional races of ponderosa pine in six plantations. Forest Research Note 39. USDA U.S. Forest Service, Pacific Northwest Forest Expt. Station.
- Namkoong, G. 1969. Nonoptimality of local races. Proc. 10th Southern Conf. Forest Tree Improvement, Houston, Texas, June 17-19, 1969. Texas A&M University, College Station, Texas and Texas Forest Service. pp. 149-153.
- Nelsen, E.E., Silen, R.R., and Mandel, N.L. 1989. Effects of Douglas-fir parentage on Swiss needlecast expression. European Journal of Forest Pathology. 19:1-6.
- Niebling, C.R. and Conkle, M.T. 1990. Diversity of Washoe pine and comparisons with allozymes of ponderosa pine races. Canadian Journal of Forest Research. 20:298-308.
- Nielsen, U.B. 1994. Genetisk variation i sitkagran (*Picea sitchensis* (bong.) Carr.) i højdevækst, stammeform og frosthaerdiged-vurderet ud fra danske proveniens-afkoms-og klonforsøg. Phd. Afhandling indleveret ved Abroretet, Den Kgl. Veterinaer-og Landbohøjskole, København, Danmark. 332 pp.
- O'Driscoll, J. 1976. Sitka spruce international ten provenance experiment-nursery stage results in Ireland. In IUFRO Sitka spruce (*Picea sitchensis* (Bong.) Carr.) International ten provenance experiment. Nursery stage results. pp 140-163. June 1976. Department of Lands, Forest and Wildlife Service. Dublin, Ireland. 314 pp.

-
- O'Driscoll, J. 1977. Sitka spruce, its distribution and genetic variation. Irish Forestry. Vol. 34 (1). 16 pp.
- O'Driscoll, J. 1978. IUFRO *Abies grandis* provenances in Ireland. In Proc. IUFRO joint meeting, Vol. 2, p 327-338. Vancouver, Canada. Aug 21 - Sept. 9, 1978.
- Oliver, W.W. and Ryker, R.A. 1990. *Pinus ponderosa* Dougl. ex Laws. Ponderosa pine. In R.M. Burns and B.H. Honkala, technical coordinator, Silvics of North America. Vol. 1. Conifers Agric. Handbook 654. USDA U.S. Forest Service
- Piesch, R. F. 1976. Tree improvement in western hemlock. In Proceedings, Western Hemlock Management Conference. Eds. W. A. Atkinson and R. J. Zasoski. University of Washington, College of Forest Resources. pp. 155-165.
- Pollard, D. F. W., and Portlock, F.T. 1986. Intraspecific variation in stem growth of western hemlock. Canadian Journal of Forest Research. 16:149-151.
- Rehfeldt, G.E. 1977. Growth and cold hardiness of intervarietal hybrids of Douglas-fir. Theoretical and Applied Genetics. 50:3-15.
- Rehfeldt, G.E. 1979a. Ecological adaptations in Douglas-fir (*Pseudotsuga menziesii* var. *Glaucia*) populations. I. North Idaho and north-east Washington. Heredity 43:383-397.
- Rehfeldt, G.E. 1979b. Ecotypic differentiation in populations of *Pinus monticola* in north Idaho--myth or reality? American Naturalist. 114:627-636.
- Rehfeldt, G.E. 1980. Genetic variation in southern Idaho ponderosa pine progeny tests after 11 years INT-75. USDA U.S. Forest Service Intermountain Forest Range Expt. Station.
- Rehfeldt, G.E. 1982. Differentiation of *Larix occidentalis* from the northern Rocky Mountains. Silvae Genetica 31:13-19.
- Rehfeldt, G.E. 1983a. Ecological adaptations in Douglas-fir (*Pseudotsuga menziesii* var. *glaucia*) populations. III. Central Idaho. Canadian Journal of Forest Research. 13:626-632.
- Rehfeldt, G.E. 1983b. Adaptation of *Pinus contorta* populations to heterogeneous environments in northern Idaho. Canadian Journal of Forest Research. 13:405-411.
- Rehfeldt, G.E. 1985. Ecological genetics of *Pinus contorta* in the lower Snake River Basin of central Idaho. Research Paper. INT-354. Ogden, Utah: USDA U.S. Forest Service Intermountain Research Station.
- Rehfeldt, G.E. 1986a. Adaptive variation in *Pinus ponderosa* from intermountain Regions. I. Snake and Salmon River Basins. Forest Science. 32:79-92.
- Rehfeldt, G.E. 1986b. Adaptive variation in *Pinus ponderosa* from Intermountain Regions. II. Middle Columbia River system INT-373. USDA U.S. Forest Service, Intermountain Research Station.
- Rehfeldt, G.E. 1986c. Development and verification of models of freezing tolerance for Douglas-fir populations in the inland Northwest INT-369. USDA U.S. Forest Service Intermountain Research Station.

-
- Rehfeldt, G.E. 1987. Adaptive variation and seed transfer for ponderosa pine in central Idaho. USDA U.S. Forest Service Intermountain Research Station. Research Note Int. 373. 6 pp.
- Rehfeldt, G.E. 1988. Ecological genetics of *Pinus contorta* from the Rocky Mountains (USA): a synthesis. *Silvae Genetica*. 37:131-135.
- Rehfeldt, G.E. 1991. A model of genetic variation for *Pinus ponderosa* in the Inland Northwest (USA): applications in gene resource management. *Canadian Journal of Forest Research*. 21:1491-1500.
- Rehfeldt, G.E. 1993. Evolutionary genetics, the biological species, and the ecology of interior cedar-hemlock forests. In Proc. Interior cedar-hemlock-white pine forests: ecology and management. Mar 2-4, 1993, Spokane, Washington.
- Rehfeldt, G.E. 1994a. Adaptation of *Picea engelmanni* populations to the heterogeneous environments of the Intermountain Western Canadian Journal of Botany. 72: 1197-1208.
- Rehfeldt, G.E. 1994b. Genetic structure of western red cedar populations in the interior West. *Canadian Journal of Forest Research*. 24:670-680.
- Rehfeldt, G.E. 1995. Genetic variation, climate models and the ecological genetics of *Larix occidentalis*. *Forest Ecology & Management*. 78:21-37.
- Rehfeldt, G.E., Hoff, R.J., and Steinhoff, R.J.. 1984. Geographic patterns of genetic variations in *Pinus monticola*. *Botanical Gazette*. 145 (2):229-239.
- Rehfeldt, G.E., Ying, C.C., Spittlehouse, D.L., and Hamilton, D.A., Jr. 1999. Genetic responses to climate in *Pinus contorta*: Niche breadth, climate change, and reforestation. *Ecological Monographs* 69:375-407.
- Roche, L. 1969. A genecological study of the genus *Picea* in British Columbia. *New Phytopathology*. 68:505-554.
- Ruetz, W., R. Dimpflmeier, J. Kleinschmit, J. Svolba, H. Weisgerber, and H.-M. Rau. 1990. The IUFRO Abies procera provenance trial in the Federal Republic of Germany. Field results at age 9 and 10 years. Joint IUFRO meeting, Olympia, Washington. Aug 20-25, 1990.
- Scholz, F. and Stephan, B.R. 1982. Growth and reaction to drought of 43 *Abies grandis* provenances in a greenhouse study. *Silvae Genetica*. 31:27-35.
- Schmidt, W.C. and Shearer, R.C. 1990. *Larix occidentalis* Nutt. Western larch. In: R.M. Burns and B.H. Honkala, technical coordinators, *Silvics of North America*, Vol. 1, Conifers. Agric. Handbook 654. USDA U.S. Forest Service, Washington DC, pp.160-172.
- Shepperd, W.D., Jeffers, R.M., and Ronco, F., Jr. 1981. An Engelmann spruce seed source study in the central Rockies. USDA U.S. Forest Service Res. Paper RM-231, 5 pp. USDA U.S. Forest Service, Rocky Mountain Forest Range Exp. Station., Fort Collins, Colorado.
- Silen, R.R. and Mandel, N.L. 1983. Clinal genetic growth variation within two Douglas-fir breeding zones. *Journal of Forestry*. 81:216-220.
- Sorensen, F.C. 1979. Provenance variation in *Pseudotsuga menziesii* seedlings from the var. *menziesii* - var. *glauca* transition zone in Oregon. *Silvae Genetica* 28:96-103.

-
- Sorensen, F.C. 1983. Geographic variation in seedling Douglas-fir (*Pseudotsuga menziesii*) from the western Siskiyou Mountains of Oregon. *Ecology* 64:696-702.
- Sorensen, F.C. 1992. Genetic variation and seed transfer guidelines for lodgepole pine in central Oregon. Research Paper. PNW-RP-44553. Portland, Oregon. USDA U.S. Forest Service, Pacific Northwest Research Station.
- Sorensen, F.C. 1994. Geographic variation and seed transfer guidelines for ponderosa pine in central Oregon. Research Paper. PNW-RP-472. Portland, Oregon. USDA U.S. Forest Service, Pacific Northwest Research Station. 24 pp.
- Sorensen, F. C., R. K. Campbell, and J. F. Franklin. 1990. Geographic variation in growth and phenology of seedlings of the *Abies procera/A. magnifica* complex. *Forest Ecology & Management*. 36:205-232.
- Sorensen, F.C. and Weber, J.C. 1994. Genetic variation and seed transfer guidelines for ponderosa pine in the Ochoco and Malheur National Forests of central Oregon. Research Paper. PNW-RP-468. Portland Oregon. USDA Forest Service, Pacific Northwest Research Station. 30 pp.
- Squillace, A.E. and Silen, R.R. 1962. Racial variation in ponderosa pine. *Forest Science Monograph* 2:1-27.
- St. Clair, B. and Vance-Borland, K. 1998. Climate maps of Washington. On file at the USDA U.S. Forest Service, Forest Science Lab., Corvallis, Oregon.
- Steinhoff, R.J. 1970. North Idaho ponderosa pine - Racial variation study - 50 year results. Res. Note - 118. USDA U.S. Forest Service, Intermountain Forest and Range Expt. Station, Ogden, Utah.
- Steinhoff, R.J. 1979. Variation in early growth of western white pine in north Idaho. Res. Pap. INT-222. USDA U.S. Forest Service, Intermountain Forest and Range Expt. Station, Ogden, Utah. 22 pp.
- Steinhoff, R.J. 1981. Survival and height growth of coastal and interior western white pine seedlings in northern Idaho. USDA U.S. Forest Service, Res. Note INT-303.
- Steinhoff, R.J., Joyce, D.G., and Fins, L. 1983. Isozyme variation in *Pinus monticola*. *Canadian Journal of Forest Research*. Vol 13: 1122-1132.
- Steinhoff, R.J. 1984. A range-wide study of variation in grand fir: 1. Nursery growth and cold tolerance. An unpublished manuscript on file at the Winema National Forest, Klamath Falls, Oregon.
- Stettler, R.F., Hinckley, T.M., Heilman, P.E., and Bradshaw, H.D. 1993. Genetic improvement and evaluation of black cottonwood for short-rotation biomass production. Progress Rep., University of Washington. 35 pp.
- Stonecypher, R.W., Piesch, R.F., Helland, G.G., Chapman, J.G., Reno, H.J. 1996. Results from genetic tests of selected parents of Douglas-fir (*Pseudotsuga menziesii* [Mirb.] Franco) in an applied tree improvement program. *Forest Science. Monograph* 32. 35 pp.
- Stoneman, C.K. 1984 Adaptive variation in lodgepole pine from south central Oregon: A description of genetic variation based on seedling tests. Moscow, Idaho: University of Idaho. MS Thesis.
- von Rudolff, E. and Lapp, M.S. 1979. Populational variation in the leaf oil terpene composition of western red cedar. *Thuja plicata*. *Canadian Journal of Botany*. 57:476-479.

-
- Weber, J.C., Stettler, R.F., and Heilman, P.E. 1985. Genetic variation and productivity of *Populus trichocarpa* and its hybrids. I. Morphology and phenology of 50 native clones. Canadian Journal of Forest Research. 15:376-383.
- Weidman, R.H. 1939. Evidences of racial influence in a 25-year test of ponderosa pine. Journal of Agricultural Research. 59:855-887.
- Wheeler, N.C., Jech, K.S., Masters, S.A., O'Brien, C.J., Timmons, D.W., Stonecypher, R.W. and Lupkes, A. 1995. Genetic variation and parameter estimates in *Taxus brevifolia* (Pacific yew). Canadian Journal of Forest Research. 25:1913-1927.
- Xie, C.Y., Ying, C.C. and Courtin, P. 1996. Genetic variability and performance of red alder, FRDA Report 255:147-156. Canadian U.S. Forest Service, Victoria, British Columbia.
- Xie, C.Y. and Yang, C.C. 1996. Geographic variation of grand fir (*Abies grandis*) in the Pacific coast region: 10-year results from a provenance trial. Canadian Journal of Forest Research. 23:1065-1072.
- Xie, C.Y. and Ying, C.C. 1993. Geographic variation of grand fir (*Abies grandis*) in the Pacific coast region: 10-year results from a provenance trial. Canadian Journal of Forest Research. 23:1065-1072.
- Xie, Chang Yi and Cheng C. Ying. 1994. Adaptedness of noble fir (*Abies procera* Rehd.) beyond its northern limit. Forest Science. 40:412-428.
- Yang, R.C. and Yeh, F.C. 1995. Patterns of gene flow and geographic structure in *Pinus contorta* Dougl. Forest Genetics. 2:65-75.
- Yeh, F.C. 1988. Isozyme variation of *Thuja plicata* (Cupressaceae) in British Columbia. Biochemical Systematics and Ecology. 16: 373-377.
- Yeh, F.C. and El-Kassaby, Y.A. 1980. Enzyme variation in natural population of Sitka spruce (*Picea sitchensis*). 1. Genetic variation patterns among trees from 10 IUFRO provenances. Canadian Journal of Forest Research. 10: 415-422.
- Yeh, F.C. and D.O. O'Malley. 1980. Enzyme variation in natural populations of Douglas-fir, *Pseudotsuga menziesii* (Mirb.) Franco, from British Columbia. 1. Genetic variation patterns in coastal populations. Silvae Genetica. 29:83-92.
- Ying, C.C., Thompson, C., Herring, L. 1989. Geographic variation, nursery effects, and early selection in lodgepole pine. Canadian Journal of Forest Research. 19:832-841.
- Ying, C.C. and Liang, Q. 1994. Geographic pattern of adaptive variation of lodgepole pine (*Pinus contorta* Dougl.) within the species coastal range: field performance at age 20 years. Forest Ecology & Management. 67:281-298.
- Zavarin, E., Snajberk, K. And Critchfield, W.B. 1979. Monoterpene variability of *Abies amabilis* cortical oleoresin. Biochemical Systematics. 1:87-93.
- Zobel, D.B. 1973. Local variation in intergrading *Abies grandis*-*Abies concolor* populations in the central Oregon Cascades: Needle morphology and periderm color. Botanical Gazette. 134:209-220.